

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6189052".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 14:44
S8	0	710/36,48,58,62,63.ccls. and @ad<"20011011" and universal adj interface same multiple adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 14:44
S25	4	("6973658" "6742071").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/22 09:58
S26	35246	time adj division adj multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 14:44
S27	1118	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 and universal with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 14:56
S28	0	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 and universal with interface same driver same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:02
S29	51	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 and universal with interface same driver\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 14:45
S30	1	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 and universal with interface same driver\$1 same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:47
S31	22	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 and universal with interface same driver\$1 and driver with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 15:01

EAST Search History

S32	22	S31 and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:47
S33	22	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 and universal with interface same driver\$1 and driver with database and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:52
S34	1	S33 and ("710"/\$ "379"/\$ 340/870.13 "370"/\$).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:50
S35	418	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and ("710"/\$ "379"/\$ 340/870.13 "370"/\$).cccls. and concurrent\$2 same time with multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 15:03
S36	133	S35 and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:54
S37	38	S36 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:56
S38	1	S37 and universal with interfac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:55
S39	55	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with division with multiplex\$3 and 710/62-74.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 14:57
S40	4	S39 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 14:57

EAST Search History

S41	46	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and universal with interfacs3 same time with division with multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 15:02
S42	10	S41 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 15:02
S43	0	S41 and database with drivers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 15:02
S44	0	S41 and database with driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 15:02
S45	15	710/63.ccls. and (@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 15:04
S46	1120	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 and universal with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 18:04
S47	6	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 same universal with interface same peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:03
S48	59	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 same universal with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:12
S49	4	S48 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:04
S50	18	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 with universal with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:15

EAST Search History

S51	6	S50 and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 16:12
S52	6	S50 and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 16:12
S53	106	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 with (multiple plurality) adj (device peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 16:18
S54	10	S53 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 16:15
S55	9	S54 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 16:16
S56	15	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with division with multiplex\$3 and 710/62.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:10
S57	55	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with division with multiplex\$3 and 710/62-74.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 16:20
S58	2	S57 and (plurality multiple) adj (device peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 16:19
S59	53	S57 not S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 16:20
S60	222	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with division with multiplex\$3 and USB and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:14

EAST Search History

S61	35	S60 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:11
S62	14887	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with division with switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:18
S63	99	S62 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:14
S64	9	S63 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:14
S65	135	S62 and telephon\$2 and universal with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:16
S66	38	S65 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:17
S67	19	S66 and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:17
S68	15	S62 and driver with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/04 17:18
S69	2	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and 710/45. ccls. and universal with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 18:00
S70	31	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and time with multiplex\$3 and 710/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 18:04

EAST Search History

S71	31	S70 and (plurality multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/04 18:04
S72	46	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and universal with interfac\$3 same time with division with multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:23
S73	2	S72 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:22
S74	21023	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and switch with (plurality multiple) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:28
S75	18	S74 and universal adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:24
S78	2	"6973658".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:27
S79	5	("5649001" "5918068" "5999990" "6539438" "6633531").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/05 12:27
S80	25	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and "710"/\$. ccls. and simultaneous with connect\$3 with peripherals	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:29
S81	9	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and "710"/\$. ccls. and simultaneous with connect\$3 with peripherals with (plurality multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:34
S82	2	S81 and multiplex\$3 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:30

EAST Search History

S83	0	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and "710"/\$. ccls. and simultaneous with peripherals with (plurality multiple) same time with multiplex\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:34
S84	0	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and "710"/\$. ccls. and simultaneous with peripherals with (plurality multiple) and time with multiplex\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:35
S85	0	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and "710"/\$. ccls. and simultaneous with peripherals with (plurality multiple) same time with multiplex\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:35
S86	8	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and "710"/\$. ccls. and simultaneous with peripherals with (plurality multiple) and time with multiplex\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:35
S87	8	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and "710"/\$. ccls. and simultaneous with peripherals with (plurality multiple) and time with multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:36
S88	0	(@ad<"20011011" @prad<"20011011" @rlad<"20011011") and "710"/\$. ccls. and simultaneous with peripherals with (plurality multiple) same time with multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 12:36